



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/728,669	12/01/2000	Barry Thornton	5602-00900	5563

7590

01/05/2005

Jeffrey C. Hood
Conley, Rose & Tayon, P.C.
P.O. Box 398
Austin, TX 78767-0398

EXAMINER

HUYNH, KIM T

ART UNIT

PAPER NUMBER

2112

DATE MAILED: 01/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	09/728,669	THORNTON, BARRY	
	Examiner	Art Unit	
	Kim T. Huynh	2112	

-- The MAILING DATE of this communication appears on the cover sheet with the corresponding address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
 - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
 - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
 - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 September 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-41 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-41 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 01 December 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-6, 9-15, 18-27 37,39-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lach (US Patent 6,363,452) in view of Ledzius et al. (US Patent 6,539,438)

As per claims 1, 11, 21, 31, 37, Lach discloses a system comprising a plurality of computing systems, the system comprising:

- a cage having a plurality of slots (fig.3, 206,208), wherein each of the slots is configured to receive a computer card; (col.5, lines 14-22)
- a plurality of computer cards, wherein each computer card comprises one of the plurality of computing systems;(col.5, lines 14-22)
- a removable function module(ie, disk drive or cd-rom of figure 1) wherein the removable function module is operable to electrically couple to at least a subset of the plurality of computer cards, wherein the removable function module is operable to provide additional functionality of each of the computer cards comprised in the slots of the cage. (col.5, lines 14-52)

Lach discloses all the limitations except each computer card comprises one of the plurality of computing systems, wherein each

computing system includes a processor and a memory for executing at least one application program. Although Lach discloses adapter cards but not explicitly discloses the details of the cards. However, Ledzius discloses plurality of PCMCIA cards (col.2, lines 44-63) is inserted into an operating host computer, the FPGA is programmed with programming data stored in non-volatile memory on the PCMCIA card. (col.3, lines 8-20). The method further provides for the storage of reconfigurable computer card's resource information on or off the card such that the reconfigurable computing method may determine if a particular card meets the requirements of an application requesting services. (col.5, lines 4-19)

It would have been obvious to one having ordinary skills in the art at the time the invention was made to incorporate Ledzius's teaching into Lach's method so as technical advantage is easy adaptability of its technology to any bus type, such as a portable computing bus standard like PCMCIA. (col.6, lines 20-31)

As per claims 2, 23, Lach discloses wherein each of the plurality of computer cards is configured for coupling to one or more cables for communication of encoded human interface signals with a remote location. (col.4, lines 26-42)

As per claim 3, Lach discloses wherein each of the plurality of computer cards is further configured for communication of network signals with a network. (col.4, lines 42-48)

As per claims 26, 33, Lach discloses method further comprising electrically coupling each of the computer cards to one or more cables, wherein the one or more cables are adapted to couple each of the computer cards to a network.

(col.5, lines 14-52)

As per claims 4, 12, 27, 32, Lach discloses:

- wherein the cage further includes a cage connector positioned proximate to each of the slots of the cage, wherein the cage connector includes a plurality of computer card connectors which are each configured to couple to one of the computer cards when the computer cards are inserted into slots of the cage, wherein the cage connector further includes a plurality of second connectors electrically coupled to the plurality of computer card connectors; (col.5, lines 14-22)
- wherein the removable function module is operable to be coupled to the plurality of second connectors. (col.5, lines 14-52)

As per claims 5, 14, 20, 24, Lach discloses wherein the plurality of second connectors are each configured for coupling to one or more cables for communication of encoded human interface signals with a remote location, and for communication of network signals with a network; (col.4, lines 26-48)

As per claims 6, 15, Lach discloses:

- wherein the removable function module is a first removable function module that provides first functionality; (col.5, lines 14-52)

- wherein the first removable function module is operable to removed and replaced with a second different removable function module, wherein the second removable function module provides second different functionality of each of the computer cards comprised in the slots of the cage. (col.5, lines 14-52)

As per claims 9, 18, 35, Lach discloses wherein the plurality of computing systems comprise a plurality of independent computing systems.(col.5, lines 14-32)

As per claims 10, 19, 30, 36, 39, Lach discloses wherein each computer card comprises:

- a frame; (col.5, lines 33-39) wherein frame is inherently enclosed all pc must has frame, cabinet to hold cards)
- a printed circuit board mounted to the frame; (col.5, lines 14-39)
- a CPU (fig.3, 105) comprised on the printed circuit board; (col.5, lines 14-39)
- a memory comprised on the printed circuit board;(col.5, lines 23-25)
- a non-volatile memory comprised on the frame; (col.7, lines 20-29)
- network interface logic comprised on the printed circuit board for interfacing to a network; (col.4, lines 26-64)
- a human interface logic comprised on the printed circuit board which is operable to receive two or more human interface signals and encode the

two or more human interface signals into a format suitable for transmission to a remote location; (col.4, lines 26-64)

- wherein the human interface logic is further operable to receive two or more encode human interface signals from the remote location and decode the two or more encoded human interface signals from a format suitable for transmission from the remote location; (col.4, lines 26-64)
- a human interface connector coupled to the human interface logic, wherein the human interface connector is adapted to couple to the one or more cables for communication of the encoded human interface signals with a remote location; and(col.4, lines 26-64)
- a power supply comprised on the frame, wherein the power supply is operable to couple to an external power source and supply power to the plurality of computing systems.(col.7, lines 53-64)

As per claim 13, Lach discloses wherein each of the plurality of computer cards is adapted for coupling to the one or more cables through the plurality of second connectors. (col.5, lines 22-32)

As per claim 22, Lach discloses the method further comprising:

- removing the first removable function module; and (col.5, lines 14-32)
- attaching a second removable function module to electrically connect with at least a subset of the plurality of computer cards, wherein the second removable function module provides a second additional functionality to

each of the at least a subset of the plurality of computer cards comprised in the slots of the cage. (col.5, lines 14-67)

As per claim 40, Lach discloses wherein the computer card contains a personal computer. (col.5, lines 23-25)

As per claim 41, Lach discloses a system comprising a plurality of computing systems, the system comprising:

- A cage having a plurality of slots (fig.3, 206,208), wherein each of the slots is configured to receive a computer card; (col.5, lines 14-22)
- wherein each personal computer comprised on each of the plurality of computer cards interfaces with a separate set of human interface devices, including at least a monitor and a keyboard, to provide personal computer functionality to a user of the separate set of human interface devices;(col.4, lines 26-48)
- A removable function module, wherein the removable function module is operable to electrically couple to at least a subset of the plurality of computer cards, wherein the removable function module is operable to provide additional functionality to each of the computer cards comprised in the slots of the cage. (col.5, lines 14-52)

Lach discloses all the limitations except each computer card comprises one of the plurality of computing systems, wherein each computing system includes a processor and a memory for executing at least one application program. Although Lach discloses adapter cards but

not explicitly discloses the details of the cards. However, Ledzius discloses plurality of PCMCIA cards (col.2, lines 44-63) is inserted into an operating host computer, the FPGA is programmed with programming data stored in non-volatile memory on the PCMCIA card. (col.3, lines 8-20). The method further provides for the storage of reconfigurable computer card's resource information on or off the card such that the reconfigurable computing method may determine if a particular card meets the requirements of an application requesting services. (col.5, lines 4-19)

It would have been obvious to one having ordinary skills in the art at the time the invention was made to incorporate Ledzius's teaching into Lach's method so as technical advantage is easy adaptability of its technology to any bus type, such as a portable computing bus standard like PCMCIA. (col.6, lines 20-31)

3. Claims 7, 16, 28, 29, 34, 38, are rejected under 35 U.S.C. 103(a) as being unpatentable over Lach (US Patent 6,363,452) in view of Ledzius et al. (US Patent 6,539,438) further in view of Heath et al. (US Patent 6,564,274)

Lach discloses wherein the removable function module comprises one or more of:

- at least one cable connection module, wherein the at least one cable connection module is operable to provide cable connections to one or more cables for the plurality of computer cards; (col.5, lines 22-32)

- at least one network card (fig.3, 190), wherein the at least one network card is operable to provide a network interface to the plurality of computer cards; and (col.4, lines 43-48)
- at least one network switch, wherein the at least one network switch is operable to perform network switching functions for the plurality of computer cards; (col.5, lines 22-32)
- at least one data switch, wherein the at least one data switch is operable to perform data switching functions for the plurality of computer cards; (col.5, lines 23-32)
- at least one network router, wherein the at least one network router is operable to perform network routing functions for the plurality of computer cards; (col.4, lines 43-48)
- at least one network processing unit, wherein the at least one network processing unit is operable to perform network processing functions for the plurality of computer cards; (col.4, lines 43-48)
- at least one gateway, wherein the at least one gateway is operable to perform gateway functions for the plurality of computer cards; (col.5, lines 22-34)
- at least one firewall, wherein the at least one firewall is operable to restrict network access to the plurality of computer cards; (col.4, lines 39-48)
- a human interface switching unit, wherein the human interface switching unit is configurable to route encoded human interface signals from one or

more of the plurality of computer cards to one or more of a plurality of remote human interface devices coupled to the removable function module; (col.4, lines 26-48)

- at least one MPEG video unit, wherein the at least one MPEG video unit is operable to provide MPEG video services to the plurality of computer cards. (col.4, lines 26-42)

Lach discloses all the limitations as above except a Gigabit Ethernet network interface, PBx, telecommunication interface. However, Heath discloses Ethernet network interface, telecommunication systems, cable systems. (col.11, lines 46-62)

It would have been obvious to one having ordinary skills in the art at the time the invention was made to incorporate Heath's teaching into Lach's method to have network interface or telecommunication interface so as to be compatible to adaptation components to various types of data communication network within a system.

4. Claims 8,17 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lach (US Patent 6,363,452)

As per claim 8 and 17, Lach discloses all the limitations as above except the external RJ45 connectors.

Examiner takes Official Notice that RJ45 connector is well know in the art for providing connection between devices.

It would have been obvious to one having ordinary skills in the art at the time the invention was made to have a RJ45 connectors for connecting the devices and so as for communications.

As per claim 25, Lach does disclose human interface devices but Lach does not explicitly disclose human interface devices are located more than 20 feet from the cage.

It would have been an obvious matter of design choice to have a human interface devices located more than 20 feet from the cage so as to be more flexible; with or without 20 feet away system would perform equally as well.

Response to Amendment

5. Applicant's amendment filed on 10/04/04 have been fully considered but are place an application in condition for allowance.

a. In response to applicant's argument that Lach nor Ledzius disclose "wherein the removable function module is operable to provide additional functionality to each of the computer cards comprised in the slots of the cage". As Lach notes at (col.5, lines 14-51), discloses adapter cards typically contain functionality in addition to computer system; the adapter cards can contain any sort of computer functionality as memory or a peripheral device. Furthermore, as Lach notes at (col.1, lines 42-56), Examiner further cited for clarification , Hot-plug allows adapter cards to be inserted into or removed from slots at any time, even while the system is powered on so that to provide high system availability and serviceability. Typically hot plug administrative is provides for coordinating hot-plugging activities and interfacing with the server's system(function

module). Furthermore, as Lach notes at col.4, lines 15-25, figure 1, mass storage may be provided by diskette, CD-ROM or hard disk. Data and software may be exchanged with computer system via removable media, such as diskette 142 and CD-ROM 147.

diskette is insertable into diskette drive which is connected to bus by controller.

Similarly, CD-ROM 147 is insertable into CD-ROM drive which is connected to bus 130 by controller 145. Thus, the prior art teaches the invention as claimed and the claims do not distinguish over the prior art as applied.

b. In response to applicant's argument that Ledzius teaches PCMCIA cards, not personal computers comprises on a card, PCMCIA cards do not contain the functionality of a personal computer. Examiner further cited reference PCMCIA CARD DEVELOPMENTS(non-patent literal) for clarification. As Porooshani notes at page 145, discloses PCMCIA best seller lists are standard faxmodem cards, LAN cards and hard drive cards. The lineup reflects that communications (functionality) is one of the fastest growing segments of the PC card market. It is clear that Lach and Ledzius are analogous arts and combinable. Therefore it is properly stated in the rejection of record.

c In response to applicant's argument that Lach does not disclose "wherein the plurality of computing systems comprises a plurality of independent computing systems. As Lach notes at (col.1, lines 57-67), Examiner further cited for clarification, hot-plugging is a process of inserting or removing an adapter card from a computer server or other computer system without stopping software running on the system or powering down the system. Plurality of adapters cards (provides any sort of computer

functionality), can be independently insert/remove to/from system without disrupting(independent).

d In response to applicant's argument that Lach does not disclose a power supply comprised on the frame, wherein the power supply is operable to couple to an external power source and supply power to the plurality of computing systems). As Lach notes at (col.7, lines 53-64), each slot control module is connected to the associated slot by the following signals lines Pwr_on/off which turns power on and off to the slot, switch_control which causes the isolation mechanism to connect and disconnect the slot. Power supply (external source) coupled to computer system is well known, then distributed to slots(receiving/removing computing systems-cards) which coupled to adapter cards.

Conclusion

6. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2112

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kim Huynh whose telephone number is (571)272-3635 or via e-mail addressed to [kim.huynh3@uspto.gov]. The examiner can normally be reached on M-F 9.00AM- 6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Rinehart can be reached on (571)272-3632 or via e-mail addressed to [mark.rinehart@uspto.gov]. The fax phone numbers for the organization where this application or proceeding is assigned are (703)872-9306 for regular communications and After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571)272-2100.

Kim Huynh

Dec. 20, 2004



TIMVO
PRIMARY EXAMINER